

EXHIBIT I

Summary Exhibit**Command Expression Copying**

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
1.	aaa accounting	aaa accounting		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 206	August 31, 2010 EOS 4.7
2.	aaa accounting dot1x	aaa accounting dot1x		IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 207	July 8, 2013 4.13.3

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
3.	aaa authentication login	aaa authentication login		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 210	June 15, 2008 2.1.0
4.	aaa authorization config- commands	aaa authorization config- commands		Cisco IOS 11.2 through 15.4; IOS XE 3.5	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 214	October 3, 2008 3.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
5.	aaa authorization console	aaa authorization console		Cisco IOS 12.0 through 15.4; IOS XE 3.5	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 215	March 17, 2010 4.4.0
6.	aaa group server radius	aaa group server radius		Cisco IOS 12.0 through 15.4; IOS XR 3.2 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 218	May 19,2009 4.2.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
7.	aaa group server tacacs+	aaa group server tacacs+		Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 219	June 16, 2008 2.1.0
8.	address-family	address-family		Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 33, 1617, 1737	Feb. 13, 2012 4.10.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
9.	aggregate-address	aggregate-address		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 31, 1428, 1402, 1618	October 16, 2011 4.8.2
10.	area default-cost	area default-cost	OSPFv3	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1553	April 27, 2009 4.3.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
11.	area default-cost	area default-cost	OSPFv2	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1470	April 27, 2009 4.3.0
12.	area nssa	area nssa	OSPFv2	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1472	April 27, 2009 4.3.0
13.	area nssa	area nssa	OSPFv3	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1554	September 16, 2012 4.11.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
14.	area nssa default- information-originate	area nssa default- information-originate	OSPFv2	Cisco IOS 11.0 through 15.4; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1473	April 27, 2009 4.3.0
15.	area nssa default- information-originate	area nssa default- information-originate	OSPFv3	Cisco IOS 11.0 through 15.4; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, 4.15.3F, User Manual, p. 30, 1555	September 25, 2012 4.11.0
16.	area nssa no-summary	area nssa no-summary	OSPFv2	Cisco IOS 11.0 through 15.4; NX-OS 4.0 through 6.2	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1475	February 5, 2013 4.10.6

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
17.	area nssa translate type7 always	area nssa translate type7 always	OSPFv2	Cisco IOS 15.1 through 15.4; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1476	April 15, 2011 4.8.1
18.	area nssa translate type7 always	area nssa translate type7 always	OSPFv3	Cisco IOS 15.1 through 15.4; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1556	September 26, 2012 4.11.0
19.	area range	area range	OSPFv3	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1557	August 17, 2012 4.11.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
20.	area range	area range	OSPFv2	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1477	April 27, 2009 4.3.0
21.	area stub	area stub	OSPFv2	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1478	April 27, 2009 4.3.0
22.	area stub	area stub	OSPFv3	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1558	September 13, 2011 4.10.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
23.	arp timeout	arp timeout		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 26, 1315	March 26, 2012 4.10.0
24.	banner login	banner login		Cisco IOS 11.1 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 14, 280	June 23, 2008 2.2.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
25.	banner motd	banner motd		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 14, 281	June 23, 2008 2.2.0
26.	bfd all-interfaces	bfd all-interfaces		Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1796	February 25, 2013 4.12.3
27.	bgp client-to-client reflection	bgp client-to-client reflection		Cisco IOS 11.1 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1621	October 31, 2011 4.8.3

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
28.	bgp cluster-id	bgp cluster-id		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; ; IOS XE 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1622	October 31, 2011 4.8.3
29.	bgp confederation identifier	bgp confederation identifier		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; ; IOS XE 3.5	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1623	February 1, 2013 4.11.3
30.	bgp confederation peers	bgp confederation peers		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; ; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1624	February 1, 2013 4.11.3

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
31.	bgp listen limit	bgp listen limit		Cisco IOS 12.2 through 15.4; ; IOS XE 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1628	May 1, 2011 4.7.4
32.	bgp log-neighbor-changes	bgp log-neighbor-changes		Cisco IOS 11.1 through 15.4; IOS XR 3.0 through 3.5; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1630	November 1, 2009 4.4.0
33.	bgp redistribute-internal	bgp redistribute-internal	BGP	Cisco IOS 12.1 through 15.4; IOS XR 3.0 through 5.2; ; IOS XE 3.5	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1631	December 1, 2012 4.12.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
34.	boot system	boot system		Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 15, 376	June 1, 2006 2.0.0
35.	channel-group	channel-group		Cisco IOS 11.3 through 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 491	January 28, 2008 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
36.	class-map type control-plane	class-map type control-plane		NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 26, 1235	January 20, 2012 4.10.0
37.	clear arp-cache	clear arp-cache		Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 26, 1316	January 26, 2009 4.0.0
38.	clear counters	clear counters		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 670	June 10, 2008 2.1.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
39.	clear ip arp	clear ip arp		NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1317	April 27, 2010 4.5.0
40.	clear ip bgp	clear ip bgp		Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1632	January 1, 2010 4.4.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
41.	clear ip igmp group	clear ip igmp group		Cisco IOS 11.0 through 15.4; IOS XE 3.5	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1847	May 24, 2010 4.5.0
42.	clear ip mroute	clear ip mroute		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1814	June 25, 2010 4.5.0
43.	clear ip msdp sa-cache	clear ip msdp sa-cache		Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1976	December 3, 2012 4.11.1

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
44.	clear ip nat translation	clear ip nat translation		Cisco IOS 11.2 through 15.4; IOS XE 3.5	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1320	November 20, 2012 4.11.1
45.	clear ip ospf neighbor	clear ip ospf neighbor		Cisco IOS 11.1 through 15.4; NX-OS 4.0 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1480	January 8, 2003 4.12.3
46.	clear ipv6 neighbors	clear ipv6 neighbors		Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1397	December 29, 2013 4.13.3-13scale

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
47.	clear ipv6 ospf force-spf	clear ipv6 ospf force-spf		Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1559	December 20, 2011 4.10.0
48.	clear lldp counters	clear lldp counters		Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 3.5	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 625	June 10, 2009 4.2.0
49.	clear lldp table	clear lldp table		Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 3.5	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 626	July 7, 2010 4.6.2

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
50.	clear mac-address-table dynamic	clear mac address-table dynamic		Cisco IOS 12.2 through 15.0; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 672	August 4, 2008 2.3.0
51.	clear spanning-tree counters	clear spanning-tree counters		NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 1002	December 14, 2007 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
52.	clock set	clock set		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 14, 283	May 24, 2007 2.0.0
53.	clock timezone	clock timezone		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 14, 284	May 28, 2007 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
54.	control-plane	control-plane		Cisco IOS 12.2 through 15.4; IOS XR 3.5 through 5.2; IOS XE 2.1 through 3.5; NX-OS 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 674	August 22, 2009 4.3.0
55.	default-information originate	default-information originate	OSPFv2	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1482	August 13, 2012 4.11.0
56.	default-information originate	default-information originate	OSPFv3	Cisco IOS 15.1 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1560	September 24, 2012 4.11.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
57.	default-metric	default-metric	OSPFv3	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1561	September 13, 2011 4.10.0
58.	distance bgp	distance bgp		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1638	October 1, 2010 4.6.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
59.	domain-id	domain-id		Cisco IOS 12.1 through 15.4; IOS XR 3.3 through 5.2; IOS XE 3.5	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 17, 558	June 24, 2009 4.3.0
60.	dot1x max-reauth-req	dot1x max-reauth-req		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 589	June 20, 2013 4.13.3
61.	dot1x pae authenticator	dot1x pae authenticator		Cisco IOS 12.4 through 15.4; IOS XE 3.5; NX-OS 5.0 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 590	July 8, 2013 4.13.3

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
62.	dot1x port-control	dot1x port-control		Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 591	June 20, 2013 4.13.3
63.	dot1x reauthentication	dot1x reauthentication		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 592	June 20, 2013 4.13.3
64.	dot1x system-auth-control	dot1x system-auth-control		Cisco IOS 12.4 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 588	June 20, 2013 4.13.3
65.	dot1x timeout quiet-period	dot1x timeout quiet-period		Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 593	June 20, 2013 4.13.3

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
66.	dot1x timeout reauth-period	dot1x timeout reauth-period		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 594	June 20, 2013 4.13.3
67.	dot1x timeout tx-period	dot1x timeout tx-period		Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 595	June 20, 2013 4.13.3
68.	enable secret	enable secret		Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 225	October 7, 2005 1.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
69.	erase startup-config	erase startup-config		Cisco IOS 11.0 through 15.4; IOS XE 2.1;	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.15.3F, User Manual, p. 15, 377	January 2006 ¹
70.	errdisable detect cause link- flap	errdisable detect cause link- flap		Cisco IOS 12.2 through 15.4	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 677	September 30, 2010 4.6.0
71.	errdisable recovery cause	errdisable recovery cause		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 679	December 16, 2008 3.1.0

¹ Arista's response to Interrogatory No. 26 claims that "erase startup-config" is not a command supported by EOS. However, Arista's response to Interrogatory No. 9 states that this command was implemented in January 2006 by James Lingard. Arista's user manuals confirm EOS's use of "erase startup-config" as well. *E.g.*, at CSI-CLI-00007244 at -7291; CSI-CLI-00007473 at -7546; CLI-00006858 at CLI-00006964.

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
72.	errdisable recovery interval	errdisable recovery interval		Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 680	December 16, 2008 3.1.0
73.	flowcontrol receive	flowcontrol receive		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 452	May, 19, 2006 2.0.0
74.	flowcontrol send	flowcontrol send		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 453	May, 19, 2006 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
75.	interface ethernet	interface ethernet		IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 456	September 22, 2005-November 15, 2005 2.0.0
76.	interface loopback	interface loopback		Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 681	May 13, 2009 4.2.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
77.	interface port-channel	interface port-channel		Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 498	January 28, 2008 2.0.0
78.	interface vlan	interface vlan		Cisco IOS 11.3 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 803	April 11, 2006 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
79.	ip access-group	ip access-group		Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 899	August 22, 2009 4.3.0
80.	ip access-list	ip access-list		Cisco IOS 11.2 through 15.4; IOS XR 3.0 through 3.3; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 900	August 22, 2009 4.3.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
81.	ip access-list standard	ip access-list standard		Cisco IOS 11.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 901	August 25, 2010 4.6.0
82.	ip address	ip address		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1322	September 22, 2005 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
83.	ip as-path access-list	ip as-path access-list		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 3.3; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1641	September 1, 2010 4.6.0
84.	ip community-list expanded	ip community-list expanded		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1643	September 1, 2011 4.8.1

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
85.	ip community-list standard	ip community-list standard		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1644	September 1, 2011 4.8.1
86.	ip dhcp smart-relay	ip dhcp smart-relay		Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 5.2 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1326-27	April 24, 2013 4.12.4
87.	ip dhcp smart-relay global	ip dhcp smart-relay global		IOS XE 3.5; NX-OS 5.2 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1328	May 1, 2013 4.12.4

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
88.	ip dhcp snooping	ip dhcp snooping		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 17, 1329	June 4, 2013 4.13.0
89.	ip dhcp snooping information option	ip dhcp snooping information option		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1330	June 4, 2013 4.13.0
90.	ip dhcp snooping vlan	ip dhcp snooping vlan		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1331	June 4, 2013 4.13.0
91.	ip domain lookup	ip domain lookup		Cisco IOS 11.0 through 15.4; IOS XR 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 14, 295	July 13, 2012 4.11.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
92.	ip domain name	ip domain-name		Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 14, 296	September 15, 2011 2.0.0
93.	ip extcommunity-list expanded	ip extcommunity-list expanded		Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 5.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1645	September 1, 2011 4.8.1

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
94.	ip extcommunity-list standard	ip extcommunity-list standard		Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 5.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1646	September 1, 2011 4.8.1
95.	ip helper-address	ip helper-address		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1333	May 5, 2011 4.8.2

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
96.	ip host	ip host		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 14, 297	July 21, 2011 4.10.0 4.9.4
97.	ip http client source-interface	ip http client source-interface		Cisco IOS 12.4 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 12, 142	April 15, 2011 4.8.1
98.	ip icmp redirect	ip icmp redirect		Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1334	October 24, 2011 4.8.1

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
99.	ip igmp last-member-query- count	ip igmp last-member-query- count		Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1853	April 19, 2010 4.5.0
100.	ip igmp last-member-query- interval	ip igmp last-member-query- interval		Cisco IOS 12.1 through 15.4; IOS XE 3.5	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1854	April 19, 2010 4.5.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
101.	ip igmp query-interval	ip igmp query-interval		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1857	April 19, 2010 4.5.0
102.	ip igmp query-max-response- time	ip igmp query-max-response- time		Cisco IOS 11.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1858	April 19, 2010 4.5.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
103.	ip igmp snooping	ip igmp snooping		Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1860	August 28, 2008 2.3.0
104.	ip igmp snooping querier	ip igmp snooping querier		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1862	August 28, 2008 2.3.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
105.	ip igmp snooping vlan	ip igmp snooping vlan		Cisco IOS 12.0 through 15.4; IOS XE 3.5	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1875	August 28, 2008 2.3.0
106.	ip igmp snooping vlan immediate-leave	ip igmp snooping vlan immediate-leave		Cisco IOS 12.0 through 15.4; IOS XE 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1876	June 23, 2011 4.7.5

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
107.	ip igmp snooping vlan mrouter	ip igmp snooping vlan mrouter		Cisco IOS 12.0 through 15.4; IOS XE 3.5	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1878	August 28, 2008 2.3.0
108.	ip igmp snooping vlan static	ip igmp snooping vlan static		Cisco IOS 12.0 through 15.4; IOS XE 3.5	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1891	August 28, 2008 2.3.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
109.	ip igmp startup-query- interval	ip igmp startup-query- interval		NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1893	April 19, 2010 4.5.0
110.	ip igmp startup-query-count	ip igmp startup-query-count		NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1892	April 19, 2010 4.5.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
111.	ip igmp static-group	ip igmp static-group		Cisco IOS 11.2 through 15.4; IOS XE 3.5	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1894	April 19, 2010 4.5.0
112.	ip igmp version	ip igmp version		Cisco IOS 11.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1898	April 19, 2010 4.5.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
113.	ip load-sharing	ip load-sharing		Cisco IOS 11.2 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1335	March 6, 2009 4.0.0
114.	ip local-proxy-arp	ip local-proxy-arp		Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1336	March 14, 2012 4.9.2
115.	ip msdp cache-sa-state	ip msdp cache-sa-state		Cisco IOS 12.0 through 15.4; IOS XE 3.5	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1977	February 28, 2012 4.11.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
116.	ip msdp default-peer	ip msdp default-peer		Cisco IOS 12.0 through 15.4; IOS XE 3.5	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1978	August 14, 2012 4.11.0
117.	ip msdp description	ip msdp description		Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1979	May 9, 2012 4.11.0
118.	ip msdp group-limit	ip msdp group-limit		NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1980	September 2, 2012 4.11.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
119.	ip msdp keepalive	ip msdp keepalive		Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1981	February 28, 2012 4.11.0
120.	ip msdp mesh-group	ip msdp mesh-group		Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1982	February 28, 2012 4.11.0
121.	ip msdp originator-id	ip msdp originator-id		Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1983	June 13, 2012 4.11.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
122.	ip msdp peer	ip msdp peer		Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1984	March 19, 2010 4.5.0
123.	ip msdp sa-filter in	ip msdp sa-filter in		Cisco IOS 12.0 through 15.4; IOS XE 3.5	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1986	May 9, 2012 4.11.0
124.	ip msdp sa-filter out	ip msdp sa-filter out		Cisco IOS 12.0 through 15.4; IOS XE 3.5;	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1987	May 9, 2012 4.11.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
125.	ip msdp sa-limit	ip msdp sa-limit		Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1988	September 2, 2012 4.11.0
126.	ip msdp shutdown	ip msdp shutdown		Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1989	May 9, 2012 4.11.0
127.	ip msdp timer	ip msdp timer		Cisco IOS 12.1 through 15.4; IOS XE 3.5	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1990	May 9, 2012 4.11.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
128.	ip multicast boundary	ip multicast boundary		Cisco IOS 11.1 through 15.4; IOS XE 3.5	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1820-21	June 10, 2010 4.5.0
129.	ip multicast-routing	ip multicast-routing		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1823	February 10, 2010 4.5.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
130.	ip name-server	ip name-server		Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 14, 298	September 15, 2007 2.0.0
131.	ip nat pool	ip nat pool		Cisco IOS 11.2 through 15.4; IOS XE 3.5	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1338	November 21, 2012 4.11.1
132.	ip nat translation tcp-timeout	ip nat translation tcp-timeout		Cisco IOS 11.2 through 15.4; IOS XE 3.5	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1344	January 11, 2013 4.11.3

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
133.	ip nat translation udp-timeout	ip nat translation udp- timeout		Cisco IOS 11.2 through 15.4; IOS XE 3.5	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1345	January 11, 2013 4.11.3
134.	ip ospf authentication	ip ospf authentication		Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1484	April 27, 2009 4.3.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
135.	ip ospf authentication-key	ip ospf authentication-key		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1485	April 27, 2009 4.3.0
136.	ip ospf bfd	ip ospf bfd		Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1797	February 25, 2013 4.12.3

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
137.	ip ospf cost	ip ospf cost		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 3.3; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1486	April 27, 2009 4.3.0
138.	ip ospf dead-interval	ip ospf dead-interval		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1487	April 27, 2009 4.3.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
139.	ip ospf hello-interval	ip ospf hello-interval		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1488	April 27, 2009 4.3.0
140.	ip ospf message-digest-key	ip ospf message-digest-key		Cisco IOS 11.0 through 15.4; IOS XR 3.0; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1489	April 27, 2009 4.3.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
141.	ip ospf name-lookup	ip ospf name-lookup		Cisco IOS 11.0 through 15.4; IOS XE 3.5	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1490	May 27, 2009 4.3.0
142.	ip ospf network	ip ospf network		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p.	March 3, 2011 4.7.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
143.	ip ospf priority	ip ospf priority		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1492	April 27, 2009 4.3.0
144.	ip ospf retransmit-interval	ip ospf retransmit-interval		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1493	April 27, 2009 4.3.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
145.	ip ospf shutdown	ip ospf shutdown		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1494	April 27, 2009 4.3.0
146.	ip ospf transmit-delay	ip ospf transmit-delay		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1495	April 27, 2009 4.3.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
147.	ip pim anycast-rp	ip pim anycast-rp		NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1934	March 25, 2010 4.5.0
148.	ip pim bfd	ip pim bfd		Cisco IOS 15.4; NX-OS 5.0 through 6.2	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1798	February 25, 2013 4.12.3
149.	ip pim bfd-instance	ip pim bfd-instance		NX-OS 5.0 through 6.2	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1799	February 25, 2013 4.12.3

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
150.	ip pim bsr-border	ip pim bsr-border		Cisco IOS 11.3 through 15.4; IOS XE 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1936	February 28, 2012 4.9.2
151.	ip pim bsr-candidate	ip pim bsr-candidate		Cisco IOS 11.3 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1937	February 28, 2012 4.9.2

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
152.	ip pim dr-priority	ip pim dr-priority		Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1940	March 19, 2010 4.5.0
153.	ip pim log-neighbor-changes	ip pim log-neighbor-changes		Cisco IOS 12.4 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1942	November 1, 2011 4.9.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
154.	ip pim neighbor-filter	ip pim neighbor-filter		Cisco IOS 11.3 through 15.4; IOS XE 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1943	October 26, 2010 4.6.0
155.	ip pim query-interval	ip pim query-interval		Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5;	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1944	March 19, 2010 4.5.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
156.	ip pim register-source	ip pim register-source		Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1945	October 30, 2011 4.9.0
157.	ip pim rp-address	ip pim rp-address		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p., EOS v. 4.15.3F, User Manual, p. 36, 1946	March 19, 2010 4.5.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
158.	ip pim rp-candidate	ip pim rp-candidate		Cisco IOS 11.3 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1947-48	February 28, 2012 4.9.2
159.	ip pim sparse-mode	ip pim sparse-mode		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1949	March 19, 2010 4.5.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
160.	ip pim spt-threshold	ip pim spt-threshold		Cisco IOS 11.1 through 15.4; IOS XR 3.0; IOS XE 3.5	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1951	April 5, 2010 4.5.0
161.	ip pim spt-threshold group-list	ip pim spt-threshold group-list		Cisco IOS 11.1 through 15.4	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1952	March 14, 2012 4.13.3
162.	ip pim ssm range	ip pim ssm range		Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1953	July 7, 2011 4.8.2

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
163.	ip prefix-list	ip prefix-list		Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 3.3; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 902	September 1, 2010 4.6.0
164.	ip protocol	ip protocol (Monitor Reachability Probe Transmitter)		Cisco IOS 12.0 through 15.4	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 39, 2133	November 24, 2012 4.13.0
165.	ip proxy-arp	ip proxy-arp		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1346	September 22, 2005 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
166.	ip radius source-interface	ip radius source-interface		Cisco IOS 11.3 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 226	March 28, 2011 4.9.3
167.	ip rip v2-broadcast	ip rip v2-broadcast		Cisco IOS 12.1 through 15.4; IOS XE 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1720	June 1, 2011 4.8.1

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
168.	ip route	ip route		Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1347-48	September 22, 2005 2.0.0
169.	ip routing	ip routing		Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1349	September 22, 2005 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
170.	ip tacacs source-interface	ip tacacs source-interface		Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 227	January 17, 2011 4.7.0
171.	ipv6 access-list	ipv6 access-list		Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 904	May 22, 2012 4.10.1
172.	ipv6 address	ipv6 address		Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1398	January 1, 2010 4.4.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
173.	ipv6 dhcp relay destination	ipv6 dhcp relay destination		Cisco IOS 12.4 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1400	April 5, 2012 4.11.0
174.	ipv6 enable	ipv6 enable		Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1401	January 1, 2010 4.4.0
175.	ipv6 host	ipv6 host		Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 14, 299	July 1, 2011 4.10.0 4.9.4

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
176.	ipv6 access-group	ipv6 access-group		Cisco IOS 12.4 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 903	May 22, 2012 4.10.1
177.	ipv6 nd managed-config-flag	ipv6 nd managed-config-flag		Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1406	August 1, 2011 4.9.0
178.	ipv6 nd ns-interval	ipv6 nd ns-interval		Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1407	August 1, 2012 4.11.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
179.	ipv6 nd other-config-flag	ipv6 nd other-config-flag		Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1408	August 1, 2011 4.9.0
180.	ipv6 nd prefix	ipv6 nd prefix		Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 5.2 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1409	September 1, 2011 4.9.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
181.	ipv6 nd ra interval	ipv6 nd ra interval		Cisco IOS 12.4 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1415	August 1, 2011 4.9.0
182.	ipv6 nd ra lifetime	ipv6 nd ra lifetime		Cisco IOS 12.4 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1416	August 1, 2011 4.9.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
183.	ipv6 nd ra suppress	ipv6 nd ra suppress		Cisco IOS 12.4 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1418	August 1, 2011 4.9.0
184.	ipv6 nd reachable-time	ipv6 nd reachable-time		Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1419	August 1, 2011 4.9.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
185.	ipv6 nd router-preference	ipv6 nd router-preference		Cisco IOS 12.4 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1420	August 1, 2011 4.9.0
186.	ipv6 neighbor	ipv6 neighbor		Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1421	December 29, 2011 4.10.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
187.	ipv6 ospf area	ipv6 ospf area		Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1563	June 21, 2011 4.9.0
188.	ipv6 ospf cost	ipv6 ospf cost		Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1564	September 13, 2011 4.10.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
189.	ipv6 ospf dead-interval	ipv6 ospf dead-interval		Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1565	September 13, 2011 4.10.0
190.	ipv6 ospf hello-interval	ipv6 ospf hello-interval		Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1566	September 13, 2011 4.10.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
191.	ipv6 ospf network	ipv6 ospf network		Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1567	September 13, 2011 4.10.0
192.	ipv6 ospf priority	ipv6 ospf priority		Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1568	June 21, 2011 4.9.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
193.	ipv6 ospf retransmit-interval	ipv6 ospf retransmit-interval		Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1569	September 13, 2011 4.10.0
194.	ipv6 ospf transmit-delay	ipv6 ospf transmit-delay		Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1570	September 13, 2011 4.10.0
195.	ipv6 prefix-list	ipv6 prefix-list		Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 906	January 5, 2012 4.10.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
196.	ipv6 route	ipv6 route		Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1423	April 1, 2010 4.5.0
197.	ipv6 router ospf	ipv6 router ospf		Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1571	June 21, 2011 4.9.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
198.	ipv6 unicast-routing	ipv6 unicast-routing		Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1425	April 1, 2010 4.5.0
199.	isis hello-interval	isis hello-interval		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1739	November 21, 2012 4.11.2
200.	isis hello-multiplier	isis hello-multiplier		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1740	November 21, 2012 4.11.2

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
201.	isis lsp-interval	isis lsp-interval		Cisco IOS 11.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1741	December 26, 2012 4.11.2
202.	isis metric	isis metric		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1742	November 12, 2012 4.11.2
203.	isis passive	isis passive		NX-OS 4.0 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1744	June 3, 2013 4.13.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
204.	isis passive interface	passive-interface	IS-IS	NX-OS 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1749	June 2013
205.	isis priority	isis priority		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1745	November 12, 2012 4.11.2
206.	is-type	is-type		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1746	September 12, 2012 4.11.2

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
207.	lacp port-priority	lacp port-priority		Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 499	April 18, 2008 2.1.0
208.	lacp rate	lacp rate		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 5.2 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 500	April 18, 2008 2.1.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
209.	lacp system-priority	lacp system-priority		Cisco IOS 12.1 through 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 17, 501	April 18, 2008 2.1.0
210.	link state group	link state group		Cisco IOS 15.1 through 15.4; IOS XE 3.5	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 683	July 19, 2011 4.10.1
211.	link state track	link state track		Cisco IOS 15.1 through 15.4; IOS XE 3.5	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 684	July 19, 2011 4.10.1

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
212.	lldp holdtime	lldp holdtime		Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 3.5; NX-OS 5.0 through 6.2	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 627	March 31, 2009 4.2.0
213.	lldp receive	lldp receive		Cisco IOS 12.2 through 15.4; NX-OS 5.0 through 6.2	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 630	March 31, 2009 4.2.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
214.	lldp reinit	lldp reinit		Cisco IOS 12.2 through 15.4; IOS XR 5.2; NX-OS 5.0 through 6.2	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 631	March 31, 2009 4.2.0
215.	lldp run	lldp run		Cisco IOS 12.2 through 15.4	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 632	March 31, 2009 4.2.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
216.	lldp timer	lldp timer		Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 3.5; NX-OS 5.0 through 6.2	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 633	March 31, 2009 4.2.0
217.	lldp tlv-select	lldp tlv-select		Cisco IOS 12.2 through 15.4; IOS XR 5.2; NX-OS 5.0 through 6.2	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 634	March 31, 2009 4.2.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
218.	lldp transmit	lldp transmit		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 5.0 through 6.2	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 635	March 31, 2009 4.2.0
219.	load interval	load interval		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 5.2 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 686	June 27, 2008 3.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
220.	log-adjacency-changes	log-adjacency-changes	OSPFv2	Cisco IOS 12.1 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 5.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1496	May 21, 2010 4.5.0
221.	log-adjacency-changes	log-adjacency-changes	IS-IS	IOS XR 3.0 through 5.2; NX-OS 4.0 through 6.2	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1747	November 6, 2012 4.11.2
222.	log-adjacency-changes	log-adjacency-changes	OSPFv3	Cisco IOS 15.1 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1572	September 13, 2011 4.10.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
223.	logging host	logging host		Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 12, 147	February 10, 2006 2.0.0
224.	mac access-group	mac access-group		Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 907	April 19, 2010 4.5.0
225.	mac access-list	mac access-list		NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 908	April 19, 2010 4.5.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
226.	mac address-table aging-time	mac address-table aging-time		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 687	February 2, 1006 2.0.0
227.	mac address-table static	mac address-table static		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 688	February 13, 2006 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
228.	mac-address	mac-address		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 459	September 22, 2005 2.0.0
229.	maximum-paths	maximum-paths	OSPF	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p.	March 7, 2011 4.6.3
230.	maximum-paths	maximum-paths	OSPFv3	Cisco IOS 15.1 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1574	December 15, 2011 4.10.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
231.	neighbor activate	neighbor activate		Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1648	February 13, 2012 4.10.0
232.	neighbor allowas-in	neighbor allowas-in		Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1649	February 22, 2012 4.10.0
233.	neighbor default-originate	neighbor default-originate		Cisco IOS 11.0 through 15.4; IOS XE 3.5	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1650	July 25, 2013 4.13.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
234.	neighbor description	neighbor description		Cisco IOS 11.3 through 15.4; IOS XE 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1651	February 10, 2011 4.7.0
235.	neighbor ebgp-multihop	neighbor ebgp-multihop		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1652	March 2, 2011 4.7.0
236.	neighbor fall-over bfd	neighbor fall-over bfd		Cisco IOS 12.2 through 15.4; IOS XE 3.5	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1800	February 25, 2013 4.12.3

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
237.	neighbor local-as	neighbor local-as		Cisco IOS 12.0 through 15.4; IOS XE 3.5	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1656	September 24, 2010 4.6.0
238.	neighbor next-hop-self	neighbor next-hop-self		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1660	November 10, 2010 4.6.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
239.	neighbor password	neighbor password		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1662	October 6, 2010 4.6.0
240.	neighbor peer-group	neighbor peer-group	assigning members (C) neighbor assignment (A)	Cisco IOS 11.0 through 15.4; IOS XE 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1665	December 19, 2011 4.9.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
241.	neighbor peer-group	neighbor peer-group	creating (C) create (A)	Cisco IOS 11.0 through 15.4; IOS XE 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1663-34	May 24, 2011 4.7.4
242.	neighbor remote-as	neighbor remote-as		Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1666	November 17, 2009 4.4.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
243.	neighbor remove-private-as	neighbor remove-private-as		Cisco IOS 11.0 through 15.4; IOS XE 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1667	May 9, 2011 4.8.1
244.	neighbor route-map	neighbor route-map	BGP	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1668	September 7, 2010 4.6.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
245.	neighbor route-reflector- client	neighbor route-reflector- client		Cisco IOS 11.1 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1669	October 31, 2011 4.8.3
246.	neighbor send-community	neighbor send-community		Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1670	September 7, 2011 4.8.1

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
247.	neighbor shutdown	neighbor shutdown		Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1671	February 1, 2011 4.7.0
248.	neighbor soft-reconfiguration	neighbor soft-reconfiguration		Cisco IOS 11.2 through 15.4; IOS XE 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1672	November 11, 2011 4.9.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
249.	neighbor timers	neighbor timers		Cisco IOS 12.0 through 15.4; IOS XE 3.5	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1673	September 24, 2010 4.6.0
250.	neighbor transport connection-mode	neighbor transport connection-mode		Cisco IOS 12.4 through 15.4	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 32, 1674	September 20, 2012 4.11.0
251.	neighbor update-source	neighbor update-source		Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 32, 1675	March 2, 2011 4.7.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
252.	neighbor weight	neighbor weight		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 32, 1676	August 8, 2012 4.10.2
253.	network area	network area	OSPFv2	Cisco IOS 11.0 through 15.4; IOS XR 3.0; IOS XE 3.5	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 29, 1500	April 27, 2009 4.3.0
254.	no snmp-server	no snmp-server		Cisco IOS 11.0 through 15.4; IOS XR 5.2; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 37, 2026	February 13, 2008 2.1.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
255.	ntp authenticate	ntp authenticate		Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 14, 300	December 17, 2012 4.12.3
256.	ntp authentication-key	ntp authentication-key		Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 14, 301	October 30, 2012 4.12.3
257.	ntp server	ntp server		Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 14, 304	May 7, 2007 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
258.	ntp source	ntp source		Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 14, 306	August 31, 2010 4.6.2
259.	ntp trusted-key	ntp trusted-key		Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 14, 307	October 30, 2012 4.12.3
260.	passive-interface	passive-interface <interface>	OSPFv2	Cisco IOS 11.0 through 15.4; NX-OS 5.2 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 29, 1503	June 1, 2009 4.3.0 (OSPFv3)

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
261.	passive-interface	passive-interface	OSPFv3	Cisco IOS 15.1 through 15.4; IOS XE 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 30, 1576	September 13, 2011 4.10.0
262.	passive-interface default	passive-interface default	OSPFv2	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 29, 1502	March 2, 2012 4.10.0
263.	policy-map type control- plane	policy-map type control- plane		NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 26, 1248	January 20, 2012 4.10.0-SSO

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
264.	policy-map type qos	policy-map type qos		IOS XR 5.2; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 26, 1250	July 8, 2012 4.11.0
265.	port-channel load-balance	port-channel load-balance		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 5.2 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 17, 508	April 18, 2008 2.1.0
266.	port-channel min-links	port-channel min-links		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 17, 517	June 9, 2010 4.5.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
267.	ptp priority1	ptp priority1	PTP	Cisco IOS 15.0 through 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5; NX-OS 5.2 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 14, 321	March 15, 2012 4.10.1
268.	ptp priority2	ptp priority2	PTP	Cisco IOS 15.0 through 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5; NX-OS 5.2 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 14, 322	March 15, 2012 4.10.1
269.	priority-flow-control mode	priority-flow-control mode		NX-OS 5.2 through 6.2	EOS v. 4.4.0, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 18, 608	January 27, 2010 4.4.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
270.	private-vlan	private-vlan		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 21, 806	November 8, 2011 4.9.0
271.	private-vlan mapping	private-vlan mapping		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 21, 807	December 7, 2011 4.9.0
272.	ptp domain	ptp domain		NX-OS 5.2 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 14, 314	March 20, 2012 4.10.1

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
273.	ptp sync interval	ptp sync interval		NX-OS 5.2 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 14, 324	March 15, 2012 4.10.1
274.	radius-server deadtime	radius-server deadtime		Cisco IOS 11.1 through 15.4; IOS XR 3.3 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 13, 230	June 5, 2009 4.2.0
275.	radius-server host	radius-server host		Cisco IOS 11.1 through 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 13, 231	May 19, 2009 4.2.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
276.	radius-server key	radius-server key		Cisco IOS 11.1 through 15.4; IOS XR 3.2 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 13, 233	May 19, 2009 4.2.0
277.	radius-server retransmit	radius-server retransmit		Cisco IOS 11.1 through 15.4; IOS XR 3.2 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 13, 234	May 29, 2009 4.2.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
278.	radius-server timeout	radius-server timeout		Cisco IOS 11.1 through 15.4; IOS XR 3.2 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 13, 235	May 19, 2009 4.2.0
279.	redundancy force-switchover	redundancy force-switchover		Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 15, 380	March 29, 2006 2.2.0
280.	route-map	route-map		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 3.3; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 22, 922	August 4, 2010 4.6.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
281.	router bgp	router bgp		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 32, 1681	November 17, 2009 4.4.0
282.	router isis	router isis		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 33, 1751	September 7, 2012 4.11.2
283.	router ospf	router ospf		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 29, 1507	April 27, 2009 4.3.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
284.	router rip	router rip		Cisco IOS 11.0 through 15.4; IOS XR 3.3 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 33, 1723	June 12, 2011 4.8.1
285.	router-id	router-id	OSPFv2	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 29, 1506	April 27, 2009 4.3.0
286.	router-id	router-id	OSPFv3	Cisco IOS 15.1 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 30, 1578	June 21, 2011 4.9.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
287.	routing-context vrf	routing-context vrf		Cisco IOS 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 27, 1354	July 6, 2012 4.11.0
288.	service sequence-numbers	service sequence-numbers		Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 15, 384	September 17, 2005 1.0.0
289.	set-overload-bit	set-overload-bit		Cisco IOS 11.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 33, 1752	November 18, 2012 4.11.2

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
290.	show aaa method-lists	show aaa method-lists		Cisco IOS 12.2 through 15.4; IOS XE 3.5	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 13, 242	August 4, 2008 2.2.0
291.	show aaa sessions	show aaa sessions		Cisco IOS 15.2 through 15.4; IOS XE 3.5	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 13, 243	November 12, 2008 3.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
292.	show arp	show arp		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 27, 1355	October 22, 2007 2.0.0
293.	show bfd neighbors	show bfd neighbors		Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 34, 1801	February 25, 2013 4.12.3
294.	show clock	show clock		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 15, 329	May 1, 2007 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
295.	show dot1q-tunnel	show dot1q-tunnel		Cisco IOS 12.2 through 15.4; NX-OS 5.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 21, 808	July 7, 2009 4.3.0
296.	show dot1x	show dot1x		Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 18, 596	
297.	show dot1x all summary	show dot1x all summary		Cisco IOS 12.1 through 15.4; NX-OS 4.0 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 18, 598	August 13, 2013 4.13.3
298.	show dot1x statistics	show dot1x statistics		Cisco IOS 12.2 through 15.4; IOS XE 3.5	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 18, 597	

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
299.	show environment all	show environment all		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 16, 425	October 1, 2007 2.0.0
300.	show environment cooling	show environment cooling		Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.3F, User Manual, p. 16, 426	January 5, 2007 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
301.	show environment power	show environment power		IOS XR 3.0 through 5.2; NX-OS 5.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 427	April 24, 2007 2.0.0
302.	show environment temperature	show environment temperature		Cisco IOS 11.2 through 12.1; IOS XR 3.0 through 5.2; IOS XE 2.1	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 428	January 5, 2007 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
303.	show etherchannel	show etherchannel		Cisco IOS 12.0 through 15.4; IOS XE 3.5	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 17, 518	October 8, 2010 4.7.0
304.	show hostname	show hostname		NX-OS 4.0 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 15, 336	July 18, 2013 4.13.0
305.	show hosts	show hosts		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 15, 337	July 21, 2011 4.10.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
306.	show interfaces	show interfaces		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 706	September 22, 2005 2.0.0
307.	show interfaces capabilities	show interfaces capabilities		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 462	May 19, 2006 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
308.	show interfaces description	show interfaces description		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 708	March 9, 2006 2.0.0
309.	show interfaces flowcontrol	show flowcontrol		IOS 12.2 through 15.4; IOS XE 3.5	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 460	May 19, 2006 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
310.	show interfaces private-vlan mapping	show interfaces private-vlan mapping		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 809	December 7, 2011 4.9.0
311.	show interfaces status	show interfaces status		Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	EOS v. 4.0.1, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 471	May 19, 2006 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
312.	show interfaces switchport	show interfaces switchport		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 810	February 9, 2006 2.0.0
313.	show interfaces switchport backup	show interfaces switchport backup		Cisco IOS 12.2 through 15.4; IOS XE 3.5	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 811	June 4, 2008 2.1.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
314.	show interfaces transceiver	show interfaces transceiver		Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 16, 473	February 24, 2011 4.7.0
315.	show interfaces trunk	show interfaces trunk		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 812	September 16, 2010 4.6.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
316.	show inventory	show inventory		Cisco IOS 12.4 through 15.4; IOS XR 3.3 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 11, 75	September 13, 2007 2.0.0
317.	show ip access-lists	show ip access-lists		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 930	August 22, 2009 4.3.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
318.	show ip arp	show ip arp		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1358	October 22, 2007 2.0.0
319.	show ip bgp	show ip bgp		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 3.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1684	December 16, 2009 4.4.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
320.	show ip bgp community	show ip bgp community		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1685	December 20, 2011 4.9.0
321.	show ip bgp neighbors	show ip bgp neighbors	route type	Cisco IOS 11.0 through 15.4; IOS XE 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1688	December 16, 2009 4.4.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
322.	show ip bgp neighbors	show ip bgp neighbors		Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1686	December 16, 2009 4.4.0
323.	show ip bgp paths	show ip bgp paths		Cisco IOS 11.0 through 15.4; IOS XE 3.5	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1692	December 16, 2009 4.4.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
324.	show ip bgp peer-group	show ip bgp peer-group		Cisco IOS 11.0 through 15.4; IOS XE 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1693	June 23, 2011 4.7.4
325.	show ip bgp regexp	show ip bgp regexp		Cisco IOS 11.0 through 15.4; IOS XE 3.5	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1694	June 26, 2013 4.13.0
326.	show ip bgp summary	show ip bgp summary		Cisco IOS 11.0 through 15.4; IOS XE 3.5	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1695	December 21, 2009 4.4.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
327.	show ip community-list	show ip community-list		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1696	September 7, 2011 4.8.1
328.	show ip dhcp snooping	show ip dhcp snooping		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1362	June 4, 2013 4.13.0
329.	show ip extcommunity-list	show ip extcommunity-list		Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1697	September 7, 2011 4.8.1

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
330.	show ip helper-address	show ip helper-address		Cisco IOS 12.4 through 15.4; IOS XE 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1365	May 5, 2011 4.8.2
331.	show ip igmp groups	show ip igmp groups		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1901	April 26, 2010 4.5.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
332.	show ip igmp interface	show ip igmp interface		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1904	April 19, 2010 4.5.0
333.	show ip igmp snooping	show ip igmp snooping		Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1907	August 28, 2008 2.3.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
334.	show ip igmp snooping groups	show ip igmp snooping groups		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1910	August 28, 2008 2.3.0
335.	show ip igmp snooping mrouter	show ip igmp snooping mrouter		Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 35, 1914	August 28, 2008 2.3.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
336.	show ip igmp snooping querier	show ip igmp snooping querier		Cisco IOS 12.4 through 15.4; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1915	August 28, 2008 2.3.0
337.	show ip interface	show ip interface		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1366	September 22, 2005 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
338.	show ip interface brief	show ip interface brief		Cisco IOS 12.4 through 15.4; IOS XR 3.4 through 5.2; IOS XE 3.5	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1367	February 26, 2009 4.0.0
339.	show ip mfib	show ip mfib		Cisco IOS 15.0 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1824	March 31, 2010 4.5.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
340.	show ip mroute	show ip mroute		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1826	March 20, 2010 4.5.0
341.	show ip mroute count	show ip mroute count		Cisco IOS 11.0 through 15.4; IOS XE 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 34, 1827	November 16, 2010 4.6.0
342.	show ip msdp mesh-group	show ip msdp mesh-group		NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1991	July 30, 2012 4.11.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
343.	show ip msdp peer	show ip msdp peer		Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1992	March 20, 2010 4.11.0
344.	show ip msdp rpf-peer	show ip msdp rpf-peer		Cisco IOS 12.4 through 15.4; IOS XE 3.5	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1994	August 30, 2012 4.11.0
345.	show ip msdp sa-cache	show ip msdp sa-cache		Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1995	March 20, 2010 4.11.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
346.	show ip msdp summary	show ip msdp summary		Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1997	December 29, 2012 4.12.0
347.	show ip nat translations	show ip nat translations		Cisco IOS 11.2 through 15.4; IOS XE 3.5	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 27, 1370	June 19, 2012 4.10.0-7150
348.	show ip ospf	show ip ospf		Cisco IOS 11.0 through 15.4; IOS XR 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1508	May 26, 2009 4.3.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
349.	show ip ospf border-routers	show ip ospf border-routers		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1510	May 24, 2010 4.5.0
350.	show ip ospf database database-summary	show ip ospf database database-summary		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1511	July 16, 2009 4.3.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
351.	show ip ospf interface	show ip ospf interface		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1516	May 26, 2009 4.3.0
352.	show ip ospf neighbor	show ip ospf neighbor		Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1519	May 26, 2009 4.3.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
353.	show ip ospf request-list	show ip ospf request-list		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1523	May 24, 2010 4.5.0
354.	show ip ospf retransmission- list	show ip ospf retransmission- list		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1524	May 24, 2010 4.5.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
355.	show ip pim interface	show ip pim interface		Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1956	March 20, 2010 4.5.0
356.	show ip pim neighbor	show ip pim neighbor		Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1957	March 20, 2010 4.5.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
357.	show ip pim rp	show ip pim rp		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1960	March 20, 2010 4.5.0
358.	show ip pim rp-hash	show ip pim rp-hash		Cisco IOS 11.3 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 36, 1962	October 24, 2013 4.14.0
359.	show ip prefix-list	show ip prefix-list		Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 931	September 26, 2010 4.6.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
360.	show ip rip database	show ip rip database		Cisco IOS 12.0 through 15.4; IOS XE 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1724	June 17, 2011 4.8.1
361.	show ip rip neighbors	show ip rip neighbors		Cisco IOS 15.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1725	January 31, 2009 4.3.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
362.	show ip route	show ip route		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 1371	September 22, 2005 2.0.0
363.	show ip route summary	show ip route summary		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1376	August 15, 2011 4.8.1

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
364.	show ip route tag	show ip route tag		Cisco IOS 15.2 through 15.4	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1377	August 28, 2011 4.8.1
365.	show ipv6 access-list	show ipv6 access-list		Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 932	May 22, 2012 4.10.1
366.	show ipv6 bgp	show ipv6 bgp		NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1698	December 8, 2011 4.10.0-SSO

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
367.	show ipv6 bgp community	show ipv6 bgp community		Cisco IOS 12.2; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1699	February 27, 2012 4.10.0-SSO
368.	show ipv6 bgp neighbors	show ipv6 bgp neighbors		NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1700	February 14, 2012 4.10.0-SSO

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
369.	show ipv6 bgp summary	show ipv6 bgp summary		NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1706	March 27, 2012 4.10.0-SSO
370.	show ipv6 interface	show ipv6 interface		Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1430	January 7, 2010 4.4.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
371.	show ipv6 neighbors	show ipv6 neighbors		Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1432	December 29, 2011 4.10.0-SSO
372.	show ipv6 ospf	show ipv6 ospf		Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1579	June 21, 2011 4.9.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
373.	show ipv6 ospf border- routers	show ipv6 ospf border- routers		Cisco IOS 12.2; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1580	June 21, 2011 4.9.0
374.	show ipv6 ospf interface	show ipv6 ospf interface		Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1590	June 21, 2011 4.9.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
375.	show ipv6 ospf neighbor	show ipv6 ospf neighbor		Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 31, 1591	June 21, 2011 4.9.0
376.	show ipv6 prefix-list	show ipv6 prefix-list		Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 933	January 5, 2012 4.10.0-SSO
377.	show ipv6 route	show ipv6 route		Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1433	April 9, 2010 4.5.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
378.	show ipv6 route summary	show ipv6 route summary		Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 5.2	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1437	September 27, 2012 4.12.0
379.	show ipv6 route tag	show ipv6 route tag		Cisco IOS 15.2 through 15.4	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 29, 1438	August 29, 2011 4.8.1
380.	show isis database	show isis database		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1753	September 26, 2012 4.11.2

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
381.	show isis interface	show isis interface		IOS XR 3.0 through 5.2; NX-OS 4.0 through 6.2	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1755	October 24, 2012 4.11.2
382.	show isis topology	show isis topology		Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1760	May 30, 2013 4.13.0
383.	show lacp counters	show lacp counters		IOS XR 3.2 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 17, 520	April 30, 2008 2.1.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
384.	show lacp interface	show lacp interface		NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 17, 521	April 30, 2008 2.1.0
385.	show lacp neighbor	show lacp neighbor		NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 17, 524	April 30, 2008 2.1.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
386.	show link state group	show link state group		Cisco IOS 15.1 through 15.4; IOS XE 3.5	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 709	July 19, 2011 4.10.1
387.	show lldp	show lldp		Cisco IOS 12.2 through 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 636	April 3, 2009 4.2.0
388.	show lldp neighbors	show lldp neighbors		Cisco IOS 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5; NX-OS 5.0 through 6.2	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 639	April 3, 2009 4.2.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
389.	show lldp traffic	show lldp traffic		Cisco IOS 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5; NX-OS 5.0 through 6.2	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 18, 641	April 3, 2009 4.2.0
390.	show mac access-list	show mac access-list		Cisco IOS 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 934	April 19, 2010 4.5.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
391.	show mac address-table	show mac address-table		Cisco IOS 11.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 710	February 2, 2006 2.0.0
392.	show mac address-table aging time	show mac address-table aging time		Cisco IOS 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 712	February 2, 2006 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
393.	show mac address-table count	show mac address-table count		IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 713	February 2, 2006 2.0.0
394.	show module	show module		Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 12, 167	March 9, 2006 2.0.0
395.	show monitor session	show monitor session		Cisco IOS 12.2 through 15.0; IOS XR 5.2; IOS XE 2.1; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 721	September 23, 2008 3.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
396.	show ntp associations	show ntp associations		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 15, 340	May 8, 2007 2.0.0
397.	show ntp status	show ntp status		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 15, 341	May 8, 2007 2.0.0
398.	show policy-map control-plane	show policy-map type control-plane		Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 26, 1273	January 20, 2012 4.10.0-SSO

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
399.	show policy-map interface	show policy-map interface type qos		Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 6.2	EOS v. 4.11.1.2, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 26, 1278	January 20, 2012 4.10.0-SSO
400.	show policy-map interface control-plane	show policy-map interface control-plane		NX-OS 5.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 26, 1277	January 20, 2012 4.10.0-SSO
401.	show port-channel summary	show port-channel summary		NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 17, 532	June 28, 2010 4.6.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
402.	show port-channel traffic	show port-channel traffic		NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 17, 533	December 20, 2010 4.7.0
403.	show port-security	show port-security		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 722	March 23, 2010 4.4.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
404.	show port-security address	show port-security address		Cisco IOS 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 19, 723	March 23, 2010 4.4.0
405.	show port-security interface	show port-security interface		IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 20, 724	March 23, 2010 4.4.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
406.	show privilege	show privilege		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 244	October 6, 2008 3.0.0
407.	show ptp clock	show ptp clock		NX-OS 5.2 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 15, 343	March 20, 2012 4.11.0
408.	show ptp parent	show ptp parent		NX-OS 5.2 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 15, 347	September 6, 2012 4.11.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
409.	show ptp time-property	show ptp time-property		NX-OS 5.2 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 15, 349	September 10, 2012 4.11.0
410.	show radius	show radius		IOS XR 3.2 through 5.2; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 245	May 19, 2009 4.2.0
411.	show redundancy states	show redundancy states		Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 3.5	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 15, 386	March 29, 2006 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
412.	show reload	show reload		Cisco IOS 11.0 through 15.4; IOS XE 2.1	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 15, 388	May 29, 2009 4.2.0
413.	show role	show role		NX-OS 4.0 through 6.2	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 246	July 30, 2012 4.11.2
414.	show route-map	show route-map		Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 935	August 4, 2010 4.6.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
415.	show snmp	show snmp		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2027	December 24, 2007 2.1.0
416.	show snmp chassis	show snmp chassis		Cisco IOS 12.4 through 15.4; IOS XE 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2028	January 4, 2008 2.1.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
417.	show snmp community	show snmp community		Cisco IOS 12.4 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2029	January 29, 2008 2.1.0
418.	show snmp contact	show snmp contact		Cisco IOS 12.4 through 15.4; IOS XE 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2030	December 24, 2007 2.1.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
419.	show snmp engineID	show snmp engineID		Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2031	January 29, 2008 2.1.0
420.	show snmp group	show snmp group		Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2032	January 29, 2008 2.1.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
421.	show snmp host	show snmp host		Cisco IOS 12.4 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2033	January 29, 2008 2.1.0
422.	show snmp location	show snmp location		Cisco IOS 12.4 through 15.4; IOS XE 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2034	December 24, 2007 2.1.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
423.	show snmp mib	show snmp mib		Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2035	July 26, 2013 4.10.7
424.	show snmp source-interface	show snmp source-interface		NX-OS 5.0 through 6.2	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2036	December 27, 2012 4.12.0
425.	show snmp trap	show snmp trap		NX-OS 4.0 through 6.2	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2037	June 25, 2012 4.11.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
426.	show snmp user	show snmp user		Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2038	January 29, 2008 2.1.0
427.	show snmp view	show snmp view		Cisco IOS 12.4 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2039	January 29, 2008

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
428.	show spanning-tree	show spanning-tree		Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 1010	August 20, 2007 2.0.0
429.	show spanning-tree blockedports	show spanning-tree blockedports		NX-OS 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 1013	December 7, 2007 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
430.	show spanning-tree bridge	show spanning-tree bridge		NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 1014	August 20, 2007 2.0.0
431.	show spanning-tree interface	show spanning-tree interface		NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 1016	August 20, 2007 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
432.	show spanning-tree mst	show spanning-tree mst		Cisco IOS 12.2 through 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 1017	August 20, 2007 2.0.0
433.	show spanning-tree mst configuration	show spanning-tree mst configuration		Cisco IOS 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 1019	December 7, 2007 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
434.	show spanning-tree mst interface	show spanning-tree mst interface		IOS XR 4.3 through 5.2; NX-OS 6.2	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 1020	August 20, 2007 2.0.0
435.	show spanning-tree root	show spanning-tree root		NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 1022	August 20, 2007 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
436.	show storm-control	show storm-control		Cisco IOS 12.2 through 15.4; IOS XE 3.5	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 20, 725	July 30, 2010 4.6.0
437.	show tacacs	show tacacs		Cisco IOS 11.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 247	June 4, 2008 2.1.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
438.	show track	show track		Cisco IOS 12.2 through 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 20, 727	December 28, 2011 4.10.0-SSO
439.	show user-account	show user-account		NX-OS 4.0 through 6.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 248	October 29, 2010 4.7.0
440.	show version	show version		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 12, 172	December 12, 2006 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
441.	show vlan	show vlan		Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 814	February 7, 2006 2.0.0
442.	show vlan private-vlan	show vlan private-vlan		NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 818	November 8, 2011 4.7.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
443.	show vlan summary	show vlan summary		NX-OS 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 819	April 5, 2006 2.0.0
444.	show vrf	show vrf		Cisco IOS 12.2 through 15.4; IOS XR 3.5 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1380	August 30, 2011 4.10.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
445.	show vrrp	show vrrp		Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 961	February 15, 2010 4.4.0
446.	snmp trap link-status	snmp trap link-status		Cisco IOS 11.0 through 15.4; IOS XR 5.2; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 38, 2055	November 7, 2009 4.4.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
447.	snmp-server chassis-id	snmp-server chassis-id		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2040	January 4, 2008 2.1.0
448.	snmp-server community	snmp-server community		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2041	December 24, 2007 2.1.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
449.	snmp-server contact	snmp-server contact		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2042	December 24, 2007 2.1.0
450.	snmp-server enable traps	snmp-server enable traps		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2043	December 1, 2010 4.7.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
451.	snmp-server engineID local	snmp-server engineID local		Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2044	January 18, 2008 2.1.0
452.	snmp-server engineID remote	snmp-server engineID remote		Cisco IOS 12.1 through 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1 through 3.5	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 37, 2045	February 27, 2008 2.1.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
453.	snmp-server group	snmp-server group		Cisco IOS 11.3 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 38, 2047	January 15, 2008 2.1.0
454.	snmp-server host	snmp-server host		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 38, 2048	January 15, 2008 2.1.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
455.	snmp-server location	snmp-server location		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 38, 2050	December 24, 2007 2.1.0
456.	snmp-server source-interface	snmp-server source-interface		Cisco IOS 12.2 through 15.4; IOS XE 2.1; NX-OS 5.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 38, 2051	January 4, 2011 4.7.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
457.	snmp-server user	snmp-server user		Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 38, 2052	January 10, 2008 2.1.0
458.	snmp-server view	snmp-server view		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 38, 2053	January 4, 2008 2.1.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
459.	spanning-tree bpdupfilter	spanning-tree bpdupfilter		Cisco IOS 12.2 through 15.4; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 1024	October 13, 2009 4.3.0
460.	spanning-tree bpduguard	spanning-tree bpduguard		Cisco IOS 12.2; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 1025	December 18, 2008 3.1.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
461.	spanning-tree bridge assurance	spanning-tree bridge assurance		NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1030	August 6, 2010 4.6.0
462.	spanning-tree cost	spanning-tree cost		Cisco IOS 12.0 through 15.4; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1031	August 20, 2007 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
463.	spanning-tree guard	spanning-tree guard		Cisco IOS 12.2; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1033	July 7, 2010 4.6.0
464.	spanning-tree link-type	spanning-tree link-type		Cisco IOS 12.2; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1035	August 20, 2007 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
465.	spanning-tree loopguard default	spanning-tree loopguard default		Cisco IOS 12.2; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1036	August 10, 2010 4.6.0
466.	spanning-tree mode	spanning-tree mode		Cisco IOS 12.2 through 15.4; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1039	August 13, 2007 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
467.	spanning-tree mst configuration	spanning-tree mst configuration		Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1040	April 6, 2009 4.1.0
468.	spanning-tree portfast bpdupfilter default	spanning-tree portfast bpdupfilter default		Cisco IOS 12.2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1044	November 7, 2011 4.9.0
469.	spanning-tree portfast bpduguard default	spanning-tree portfast bpduguard default		Cisco IOS 12.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1045	December 18, 2008 3.1.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
470.	spanning-tree port-priority	spanning-tree port-priority		Cisco IOS 12.0 through 15.4; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1047	December 7, 2007 2.0.0
471.	spanning-tree transmit hold- count	spanning-tree transmit hold- count		Cisco IOS 12.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1050	August 20, 2007 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
472.	spanning-tree vlan	spanning-tree vlan		Cisco IOS 12.0 through 15.4; IOS XE 2.1; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1051	March 5, 2009 2.0.0
473.	spf-interval	spf-interval		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1762	December 26, 2012 4.11.2
474.	statistics per-entry	statistics per-entry	ACL configuration modes	NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 22, 936	July 21, 2011 4.8.1

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
475.	storm-control	storm-control		Cisco IOS 12.2 through 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 20, 729	July 30, 2010 4.6.0
476.	switchport access vlan	switchport access vlan		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 822	February 7, 2006 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
477.	switchport backup interface	switchport backup interface		Cisco IOS 12.2 through 15.4	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 24, 1052	June 4, 2008 2.1.0
478.	switchport mode	switchport mode		Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 823	February 9, 2006 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
479.	switchport port-security	switchport port-security		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 20, 733	March 23, 2010 4.4.0
480.	switchport port-security maximum	switchport port-security maximum		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 20, 734	March 23, 2010 4.4.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
481.	switchport private-vlan mapping	switchport private-vlan mapping		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 825	November 8, 2011 4.9.0
482.	switchport trunk allowed vlan	switchport trunk allowed vlan		Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 826	April 23, 2007 2.0.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
483.	switchport trunk native vlan	switchport trunk native vlan		Cisco IOS 12.2 through 15.4; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 828	April 23, 2007 2.0.0
484.	switchport vlan mapping	switchport vlan mapping		Cisco IOS 12.2 through 15.4; IOS XE 3.5;	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 829	February 28, 2013 4.12.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
485.	tacacs-server host	tacacs-server host		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 250-51	June 4, 2008 2.1.0
486.	tacacs-server key	tacacs-server key		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 252	June 4, 2008 2.1.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
487.	tacacs-server timeout	tacacs-server timeout		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 13, 254	June 4, 2008 2.1.0
488.	terminal monitor	terminal monitor		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 12, 177	March 25, 2010 4.5.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
489.	timers basic (RIP)	timers basic (RIP)		Cisco IOS 11.0 through 15.4; IOS XR 3.3 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 33, 1727	July 6, 2011 4.8.1
490.	timers bgp	timers bgp		Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 32, 1708	November 17, 2009 4.4.0
491.	timers lsa arrival	timers lsa arrival	OSPFv2	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1527	July 12, 2013 4.12.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
492.	timers throttle lsa all	timers throttle lsa all	OSPFv2	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 30, 1528	July 12, 2013 4.13.0
493.	timers throttle spf	timers throttle spf	OSPFv2	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.15.3F, User Manual, p.	December 27, 2012 EOS4.12.0
494.	username sshkey	username sshkey		NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 14, 257	August 20, 2010 4.7.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
495.	vlan internal allocation policy	vlan internal allocation policy		Cisco IOS 12.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 21, 832	January 3, 2011 4.7.0
496.	vrf definition	vrf definition		Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1381	August 30, 2011 4.10.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
497.	vrf forwarding	vrf forwarding		Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 28, 1382	August 30, 2011 4.10.0
498.	vrrp authentication	vrrp authentication		Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 6.2	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 964	June 8, 2009 4.3.0
499.	vrrp delay reload	vrrp delay reload		Cisco IOS 15.1 through 15.4; IOS XR 3.4 through 5.2; IOS XE 3.5	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 965	September 16, 2013 4.13.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
500.	vrrp description	vrrp description		Cisco IOS 12.0 through 15.4; IOS XE 3.5	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 966	June 8, 2009 4.3.0
501.	vrrp ip	vrrp ip		Cisco IOS 12.0 through 15.4; IOS XR 5.2; IOS XE 3.5	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 967	June 8, 2009 4.3.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
502.	vrrp ip secondary	vrrp ip secondary		IOS 12.0 through 15.4; IOS XE 3.5	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 968	December 15, 2009 4.4.0
503.	vrrp preempt	vrrp preempt		Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 972	June 8, 2009 4.3.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
504.	vrrp priority	vrrp priority		Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 975	June 8, 2009 4.3.0
505.	vrrp shutdown	vrrp shutdown		Cisco IOS 12.4 through 15.4; IOS XE 3.5	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 976	June 8, 2009 4.3.0

	Cisco CLI Command Expression	Arista CLI Command Expression	Protocol or Routing Mode (where applicable)	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Exemplary Infringing Work(s) in Which Command Expression Appears	Date On Which Arista Added Command to Source Code & EOS Version
506.	vrrp timers advertise	vrrp timers advertise		Cisco IOS 12.0 through 15.4; IOS XE 3.5	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F, EOS v. 4.15.3F, User Manual, p. 23, 977	June 8, 2009 4.3.0